

P-SERIES FREEZE POINT CHART

Percent Propylene Glycol		Freezing Point		GlycoChill+ Premixed Product	
By Weight	By Volume	°C	°F	HD	FG
0.0	0.0	0.0	32.0		
5.0	4.8	-1.6	29.1		
10.0	9.6	-3.3	26.1		
15.0	14.5	-5.1	22.8		
20.0	19.4	-7.1	19.2		
21.0	20.4	-7.6	18.3		
22.0	21.4	-8.0	17.6		
23.0	22.4	-8.6	16.5		
24.0	23.4	-9.1	15.6		
25.0	24.4	-9.6	14.7	P225HD	P225FG
26.0	25.3	-10.2	13.6		
27.0	26.4	-10.8	12.6		
28.0	27.4	-11.4	11.5		
29.0	28.4	-12.0	10.4		
30.0	29.4	-12.7	9.1		
31.0	30.4	-13.4	7.9	P230HD	P230FG
32.0	31.4	-14.1	6.6		
33.0	32.4	-14.8	5.4		
34.0	33.5	-15.6	3.9		
35.0	34.4	-16.4	2.5	P235HD	P235FG
36.0	35.5	-17.3	0.9		
37.0	36.5	-18.2	0.8		
38.0	37.5	-19.1	-2.4		
39.0	38.5	-20.1	-4.2		
40.0	39.6	-21.1	-6.0	P240HD	P240FG
41.0	40.6	-22.1	-7.8		
42.0	41.6	-23.2	-9.8		
43.0	42.6	-24.3	-11.7		
44.0	43.7	-25.5	-13.9		
45.0	44.7	-26.7	-16.1		
46.0	45.7	-27.9	-18.2		
47.0	46.8	-29.3	-20.7		
48.0	47.8	-30.6	-23.1		
49.0	48.9	-32.1	-25.8		
50.0	49.9	-33.5	-28.3	P250HD	P250FG
51.0	50.9	-35.0	-31.0		
52.0	51.9	-36.6	-33.9		
53.0	53.0	-38.2	-36.8		
54.0	54.0	-39.8	-39.6		
55.0	55.0	-41.6	-42.9	P255HD	
56.0	56.0	-43.3	-45.9		
57.0	57.0	-45.2	-49.4		
58.0	58.0	-47.1	-52.8		
59.0	59.0	-49.0	-56.2		
60.0	60.0	-51.1	-60.0		
65.0	65.0	α			
70.0	70.0	α			
75.0	75.0	α			
80.0	80.0	α			
85.0	85.0	α			
90.0	90.0	α			
95.0	95.0	α			