

**Section 1: Product & Company Information**

**Product Identifier:** Methanol 60% / Propylene Glycol 40%

**Other Means of Identification**

Product Number: No data available.

**Recommended Use and Restrictions on Use**

Recommended Use: Solvent, Fuel, Feedstock  
Restrictions on Use : None known.

**Manufacturer / Importer / Supplier / Distributor Information**

**Company Name:** CORECHEM Inc.

**Address:** 4320 Greenway Drive  
Knoxville, TN 37918  
USA

**Information Telephone Number:** 1-865-524-4239

**Fax Number:** 1-865-524-3375

**Website:** www.corecheminc.com

**Contact Person:** Regulatory Manager

**E-mail:** regulatory@corecheminc.com

**Emergency Phone Number:** Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

**Section 2: Hazards Identification**

**GHS Hazard Classification(s)**

In accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

**Physical Hazard(s)**

Flammable, Liquids - 2

**Health Hazard(s)**

Acute Toxicity, Oral - 3  
Acute Toxicity, Dermal - 3  
Acute Toxicity, Inhalation - 3  
(Corrosion)Damage/Irritation, Eye - 2A  
Toxic to Reproduction - 1  
Specific Target Organ Toxicity (STOT), Single exposure - 1

**Environmental Hazard(s)**

Not classified.

**Label Elements**

**Signal Word**

**DANGER**

**Hazard Symbol(s)**



**Hazard Statement(s)**

H225: Highly flammable liquid and vapor.  
H301: Toxic if swallowed.  
H311: Toxic in contact with skin.  
H319: Causes serious eye Irritation.  
H331: Toxic if inhaled.  
H360: May damage fertility or the unborn child.  
H370: Causes damage to organs.

**Precautionary Statements**

**General**

Not applicable.

**Prevention**

P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233: Keep container tightly closed.  
P240: Ground/bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting/equipment.

- P242: Use only non-sparking tools.
- P243: Take precautionary measures against static discharge.
- P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264: Wash face, hands and any exposed skin thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- P271: Use only outdoors or in a well-ventilated area.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P281: Use personal protective equipment as required.

#### Response

- P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
- P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304 + P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P307 + P311: IF exposed: Call a POISON CENTER or doctor/physician.
- P308 + P313: IF exposed or concerned: Get medical advice/attention.
- P311: Call a POISON CENTER or doctor/physician.
- P312: Call a POISON CENTER or doctor/physician if you feel unwell.
- P321: Specific treatment (see supplemental first aid instructions on this label).
- P322: Specific measures (see supplemental first aid instructions on this label).
- P330: Rinse mouth.
- P337 + P313: If eye irritation persists: Get medical advice/attention.
- P361: Remove/Take off immediately all contaminated clothing.
- P363: Wash contaminated clothing before reuse.
- P370 + P378: In case of fire: Use suitable extinguishing media for extinction.

#### Storage

- P403 + P233: Store in a well-ventilated place. Keep container tightly closed.
- P403 + P235: Store in a well-ventilated place. Keep cool.
- P405: Store locked up.

#### Disposal

- P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Hazard(s) not otherwise classified (HNOC)

None known.

## Section 3: Composition/Information on Ingredients

#### Substance

Chemical Identity <sup>2</sup>	Common Name/Synonym(s)	CAS # <sup>3</sup>	Weight %	Impurity or Stabilizing Additive
Methanol	Methyl Alcohol, Wood Alcohol	67-56-1	55-65%	No
Propylene Glycol	PG, Methyl Ethyl Glycol, 1, 2-Dihydroxypropane	57-55-6	35-45%	No

- Information regarding the composition and the percent ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.
- Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.
- "—"Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.

## Section 4: First-Aid Measures

#### General Information

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor/physician. Methanol is toxic and flammable. Take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate protective equipment and remove any sources of ignition).

#### Inhalation

Has caused teratogenic and fetotoxic effects, in the absence of maternal toxicity in animal studies.

#### Skin Contact

Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash contaminated clothing before reuse.

#### Eye Contact

Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Ensure that folded skin of eyelids is thoroughly washed with water. Obtain medical attention if pain, blinking or redness persist.

#### Ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Never give anything by mouth to an unconscious person.

#### Most important symptoms/effects, acute and delayed Symptoms

Print Date: July 19, 2017

Symptoms/injuries after inhalation: Symptoms may include dizziness, headache, nausea and loss of coordination. CNS depression. Metabolic acidosis and severe visual effects can occur following an 8-24 hour latent period. Coma and death, usually due to respiratory failure, may occur if medical treatment is not received. Visual effects may include reduced reactivity and/or increased sensitivity to light, blurred, double and/or snowy vision, and blindness.

Symptoms/injuries after skin contact: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Repeated and/or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact: Moderate eye irritant.

Symptoms/injuries after ingestion: Ingestion of as little as 10 ml of methanol can cause blindness and 30 ml (1 ounce) can cause death if victim is not treated. Ingestion causes mild central nervous system (CNS) depression with nausea, headache, vomiting, dizziness, incoordination and an appearance of drunkenness. Metabolic acidosis and severe visual effects can occur following an 8-24 hour latent period. Coma and death, usually due to respiratory failure, may occur if medical treatment is not received. Visual effects may include reduced reactivity and/or increased sensitivity to light, blurred, double and/or snowy vision, and blindness.

Chronic symptoms: Has caused teratogenic and fetotoxic effects, in the absence of maternal toxicity in animal studies.

## Indication of immediate medical attention and special treatment needed

### Hazards

No data available.

### Treatment

Treat symptomatically. The severity of outcome following methanol ingestion may be more related to the time between ingestion and treatment, rather than the amount ingested. Therefore, there is a need for rapid treatment of any ingestion exposure. Antidote is fomepizole which enhances elimination of metabolic formic acid. This must be administered by a physician only. For specialist advice physicians should contact the Poison Control Centre.

## Section 5: Fire-Fighting Measures

### General Fire Hazards

No unusual fire or explosion hazards noted.

### Suitable (and Unsuitable) Extinguishing Media

#### Suitable Extinguishing Media

Synthetic Firefighting foam AR-FFF (3% solution). Dry powder. Carbon dioxide. Water spray. Sand.

#### Unsuitable Extinguishing Media

Do not use a heavy water stream. Water may be effective for cooling, diluting, or dispersing methanol, but may not be effective for extinguishing a fire because it will not cool methanol below its flash point. If water is used for cooling, the solution will spread if not contained. Mixtures of methanol and water at concentrations greater than 20% methanol are still considered flammable.

### Specific Hazards Arising from the Chemical

Fire hazard: Highly flammable liquid and vapor. Can accumulate in confined spaces, resulting in a toxicity and flammability hazard. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Under fire conditions closed containers may rupture or explode. Flame may be invisible during the day. The use of infrared and or heat detection devices is recommended.

Explosion hazard: May form flammable/explosive vapor-air mixture.

Reactivity: Stable under normal conditions.

### Special Protective Equipment and Precautions for Firefighters

#### Special Fire-Fighting Equipment Procedures

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

#### Special Protective Equipment for Fire-Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (OSHA/NIOSH approved or equivalent) and full protective gear.

## Section 6: Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Keep unauthorized personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate area.

### Methods and Materials for Containment and Clean-Up

Stop leak if safe to do so. Remove all sources of ignition. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Wash spill area with soapy water. Large spills: Dike to collect large liquid spills. Alcohol resistant foams may be applied to spill to diminish vapor and fire hazard. Remove liquid by intrinsically safe pumps or vacuum equipment designed for vacuuming flammable materials (i.e. equipped with inert gases and ignition sources controlled). Place in suitable, covered, labelled containers.

### Notification Procedures

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Methanol's main physical behavior if spilled to water is described as "dissolves/evaporates" in the European Behavior Classification system for chemicals (reported in IMO (2011)). GESAMP hazard profile: methanol does not bioaccumulate and is readily biodegradable in the aquatic environment (IMO2011).

## Section 7: Handling and Storage

### Precautions for Safe Handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Ground/bond container and receiving equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using the product. Use caution when adding this material to water. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with eyes. Avoid contact with skin.

### Conditions for Safe Storage, including any Incompatibilities

Technical measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment. Have appropriate fire extinguishers and spill cleanup equipment in or near storage area.  
 Storage conditions: Keep only in the original container in a cool, well ventilated place away from ignition sources. Keep in fireproof place. Keep container tightly closed. Do not store in confined spaces.  
 Storage area: Store at room temperature. Keep out of direct sunlight. Store in a dry area. Keep container in a well-ventilated place. Fireproof storeroom. Keep locked up. Provide the tank with earthing. Unauthorized persons are not admitted.  
 Packaging materials: SUITABLE MATERIAL: Steel. Stainless steel. Iron. Glass. MATERIAL TO AVOID: Lead. Aluminum. Zinc. Polyethylene. PVC.

## Section 8: Exposure Controls/Personal Protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Value	Source
Methanol	TWA	200 ppm	US OSHA Table Z-1
Methanol	TWA	200 ppm	US. ACGIH Threshold Limit Values
Methanol	STEL	250 ppm	US. ACGIH Threshold Limit Values

#### Biological Limit Values

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

### Appropriate Engineering Controls

Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Both local exhaust and good general room ventilation must be provided not only to control exposure but also to prevent formation of flammable mixtures. Emergency safety showers should be available in the immediate vicinity of any potential exposure. Use only explosion-proof equipment.

### Individual protection measures, such as personal protective equipment (PPE)

#### General Information

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

#### Eye/Face Protection

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

#### Skin Protection

##### Hand Protection

Wear appropriate chemical resistant gloves.

##### Other

Wear appropriate chemical resistant clothing.

#### Respiratory Protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information

#### Hygiene Measures

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

## Section 9: Physical and Chemical Properties

### Appearance:

Physical State: Liquid  
 Color: Colorless

**Odor:** No data available.

**Odor Threshold:** No data available.

**pH:** Not applicable.

**Melting Point/Freezing Point:** No data available.

**Initial Boiling Point and Boiling Range:** No data available.

**Flash Point:** No data available.

**Evaporation Rate (butyl acetate=1):** No data available.

**Flammability (solid, gas):** No data available.

#### Upper/Lower Limit on Flammability or Explosive Limits

Flammability Limit – Upper: No data available.

Flammability Limit – Lower: No data available.

Explosive Limit – Upper: Not applicable.

Explosive Limit – Lower: Not applicable.

**Vapor Pressure:** No data available.

**Vapor Density (air =1):** No data available.

**Relative Density (water=1):** 0.8776

#### Solubility(ies):

Solubility in water: No data available.

Solubility (other): No data available.

**Partition coefficient (n-octanol/water):** No data available.

**Auto-Ignition Temperature:** No data available.  
**Decomposition Temperature:** No data available.  
**Viscosity:** No data available.

**Other Information:**  
**Molecular Weight:** No data available.  
**Formula:** No data available.

## Section 10: Stability and Reactivity

### Reactivity

Stable under normal conditions.

### Chemical Stability

The product is stable under storage at normal ambient temperatures. Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture. Hygroscopic.

### Possibility of Hazardous Reactions

Under fire conditions closed containers may rupture or explode.

### Conditions to Avoid

Direct sunlight. High temperature. Open flame. Ignition sources.

### Incompatible Materials

Oxidizing agents. Strong acids. Strong bases. Methanol is not compatible with gasket and O-rings materials made of Buna-N and Nitrile.

### Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide. May release flammable gases. Formaldehyde.

## Section 11: Toxicological Information

### Information on routes of exposure

**Ingestion:** Ingestion of as little as 10 ml of methanol can cause blindness and 30 ml (1 ounce) can cause death if victim is not treated. Ingestion causes mild central nervous system (CNS) depression with nausea, headache, vomiting, dizziness, incoordination and an appearance of drunkenness. Metabolic acidosis and severe visual effects can occur following an 8-24 hour latent period. Coma and death, usually due to respiratory failure, may occur if medical treatment is not received. Visual effects may include reduced reactivity and/or increased sensitivity to light, blurred, double and/or snowy vision, and blindness.

**Inhalation:** Symptoms may include dizziness, headache, nausea and loss of coordination. CNS depression. Metabolic acidosis and severe visual effects can occur following an 8-24 hour latent period. Coma and death, usually due to respiratory failure, may occur if medical treatment is not received. Visual effects may include reduced reactivity and/or increased sensitivity to light, blurred, double and/or snowy vision, and blindness.

**Skin Contact:** Repeated exposure to this material can result in absorption through skin causing significant health hazard. Repeated and/or prolonged skin contact may cause irritation.

**Eye Contact:** Moderate eye irritant.

### Information on Toxicological Effects

#### Acute Toxicity (List all possible routes of exposure)

##### Oral

Methanol: LD50 (Rat): 5,600 mg/kg  
Propylene Glycol: LD50 (Rat): 20,000 mg/kg

##### Dermal

Methanol: LD50 (Rat, 4 h): 64,000 ppm  
Propylene Glycol: LD50 (Rabbit): 20,800 mg/kg

##### Inhalation

Methanol: LC50 (Rabbit): 15,800 mg/kg

##### Repeated Dose Toxicity

No data available.

### Skin Corrosion/Irritation

Not classified. (Based on available data, the classification criteria are not met.)

### Serious Eye Damage/Eye Irritation

Causes serious eye irritation. (Based on available data, the classification criteria are not met)

### Respiratory/Skin Sensitization

Not classified (Based on available data, the classification criteria are not met)

### Carcinogenicity

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### US. National Toxicology Program (NTP) Report on Carcinogens

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Germ Cell Mutagenicity

**In Vitro**

Not classified (Based on available data, the classification criteria are not met)

**In Vivo**

Not classified (Based on available data, the classification criteria are not met)

**Reproductive Toxicity**

May damage fertility or the unborn child.

**Specific Target Organ Toxicity – Single Exposure**

Causes damage to organs.

**Specific Target Organ Toxicity – Repeated Exposure**

Not classified (Based on available data, the classification criteria are not met)

**Aspiration Hazard**

Not classified. (Based on available data, the classification criteria are not met.)

**Other Effects**

None known.

**Section 12: Ecological Information**

**Ecotoxicity**

**Acute Hazards to the Aquatic Environment**

**Fish**

Methanol: LC50 (Fish, 96 h): 15,400 – 29,400 mg/l

Methanol: EC50 (Selenastrum carpicornutum (Pseudokichnerela subcapitata), 72 h): 22,000 mg/l

Propylene Glycol: NOEC (Fathead Minnow (Pimephales Promelas), 96 h): 52,930 mg/l mortality

**Aquatic Invertebrates**

Methanol: EC50 (Daphnia, 48 h): > 10,000 mg/l

Propylene Glycol: NOEC (Water Flea (Daphnia), 48 h): 12,020 mg/l mortality

Propylene Glycol: EC50 (Water Flea (Daphnia Magna), 48 h): > 10,000 mg/l

**Toxicity to Aquatic Plants**

No data available.

**Chronic Hazards to the Aquatic Environment**

**Fish**

No data available.

**Aquatic Invertebrates**

No data available.

**Toxicity to Aquatic Plants**

No data available.

**Persistence and Degradability**

**Biodegradation**

No data available.

**BOD/COD Ratio**

No data available.

**Bioaccumulative Potential**

**Bioconcentration Factor (BCF)**

No data available.

**Partition Coefficient n-octanol / water (log Kow)**

No data available.

**Mobility in Soil**

Mobile

**Other Adverse Effects**

Avoid release into the environment.

**Section 13: Disposal Considerations**

**Disposal Instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Contaminated Packaging**

Handle contaminated packages in the same way as the substance itself. Emptied containers may retain hazardous residue and explosive vapors. Keep away from heat, sparks, and flames. Do not cut, puncture, or weld on or near this container. Follow label warnings until container is thoroughly cleaned or destroyed.

### Section 14: Transportation Information

#### US Department of Transportation (DOT)

UN Number: UN1993  
UN Proper Shipping Name: Flammable liquids, n.o.s.  
Technical Name: (contains methanol)  
Hazard Class: 3  
Subsidiary Hazard Risk: -  
Packing Group: II  
DOT Label/Placard Exemptions: Not determined  
Special Provisions: IB2, T7, TP1, TP8, TP28  
Packaging Exceptions: 49CFR 173.150  
Packaging Non-Bulk: 49CFR 173.202  
Packaging Bulk: 49CFR 173.242  
Reportable Quantity (RQ): -  
Marine Pollutant: No  
Poison Inhalation Hazard: No  
Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.  
Emergency Response Guidebook (ERG) #: 128

*Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.*

### Section 15: Regulatory Information

#### US Federal Regulations

##### Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)

The following chemical(s) in this material are subject to reporting levels established by CERCLA:

Methanol (CAS# 67-56-1)

##### Clean Air Act (CAA), Section 112(r)

No chemical(s) in this material are subject to the reporting requirements of CAA.

##### Emergency Planning and Community Right-To-Know Act (EPCRA)

###### EPCRA 302 Extremely Hazardous Substance

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

###### EPCRA 304 Emergency Response Notification

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

###### EPCRA 311/312 Emergency and Hazardous Materials Reporting

Fire Hazard: Yes  
Sudden Release of Pressure: No  
Reactive: No  
Acute (Immediate) Health Hazard: Yes  
Chronic (Delayed) Health Hazard: No

###### EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting

The following chemical(s) in this material are subject to reporting levels established by SARA Title III, Section 313:

Methanol (CAS# 67-56-1)

#### US State Regulations

##### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

*Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.*

### Section 16: Other Information

#### Hazardous Materials Identification System (HMIS®) Classification

Health Hazard: 2  
Chronic Health Hazard: /  
Flammability: 3  
Physical Hazard: 0  
(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

#### National Fire Protection Association (NFPA 704) Rating

Health Hazard: 2  
Fire Hazard: 3  
Reactivity Hazard: 0  
Special: N/A

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

Prepared By: Regulatory Manager  
Version #: 001  
Issue Date: January 26, 2016  
Revision Date: -  
Revisions: -

**Key to Abbreviations and Acronyms**

ATE - Acute Toxicity Estimate	ACGIH - American Conference of Industrial Hygienists
BCF - Bioconcentration Factor	AIHA – American Industrial Hygiene Association
EC50 - Effective concentration, 50%	BEI - Biological Exposure Indices
IDHL – Immediately Dangerous to Life and Health	CAS – Chemical Abstracts Service
Kg – Kilogram	DOT – US Department of Transportation
l – Liter	EPA – US Environmental Protection Agency
lb – Pound	GHS - Globally Harmonized System of Classification and Labelling of Chemicals
LC50 - Lethal Concentration, 50%	IARC - International Agency for Research on Cancer
LD50 - Lethal Dose, 50%	IATA - International Air Transport Association
mg - milligram	IBC - Intermediate Bulk Container
ml – milliliter	IMDG - International Maritime Dangerous Goods
N/A – Not Applicable	NIOSH – National Institute for Occupational Safety and Health
N/D – Not Determined	NTP – National Toxicology Program
PEL – Permissible Exposure Limit	OSHA – US Occupational Health and Safety Administration
REL – Recommended Exposure Limit	SARA – US EPA Superfund Amendments and Reauthorization Act
STEL – Short-term Exposure Limit	TSCA – US EPA Toxic Substances Control Act
TWA - Time weighted average	UN - United Nations

**References**

HSDB® - Hazardous Substances Data Bank

**Disclaimer**

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.