

**Section 1: Product & Company Information**

**Product Identifier:** Mineral Spirits, Regular

**Other Means of Identification**

Product Number: 151502

**Recommended Use and Restrictions on Use**

Recommended Use: Consumer Product

Restrictions on Use: No data available.

**Manufacturer / Importer / Supplier / Distributor Information**

**Company Name:** CORECHEM Inc.

**Address:** 4320 Greenway Drive  
Knoxville, TN 37918  
USA

**Information Telephone Number:** 1-865-524-4239

**Fax Number:** 1-865-524-3375

**Website:** www.corecheminc.com

**Contact Person:** Regulatory Manager

**E-mail:** regulatory@corecheminc.com

**Emergency Phone Number:** Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

**Section 2: Hazards Identification**

**GHS Hazard Classification(s)**

In accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

**Physical Hazard(s)**

Flammable, Liquids - 3

**Health Hazard(s)**

Aspiration Hazard - 1

(Corrosion) Damage/Irritation, Eye - 2A

Toxic to Reproduction - 1

Specific Target Organ Toxicity (STOT)-Respiratory Irritation, Single exposure - 3

Specific Target Organ Toxicity (STOT), Repeated exposure - 2

**Environmental Hazard(s)**

Not Classified

**Label Elements**

**Signal Word**

**DANGER**

**Hazard Symbol(s)**



**Hazard Statement(s)**

H226: Flammable liquid and vapor.

H304: May be fatal if swallowed and enters airways.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H360: May damage fertility or the unborn child.

H373: May cause damage to organs.

**Precautionary Statements**

**General**

Not applicable.

**Prevention**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.  
P260: Do not breathe dust/fume/gas/mist/vapors/spray.  
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264: Wash face, hands and any exposed skin thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P281: Use personal protective equipment as required.

## Response

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313: IF exposed or concerned: Get medical advice/attention.  
P312: Call a POISON CENTER or doctor/physician if you feel unwell.  
P314: Get medical advice/attention if you feel unwell.  
P331: Do NOT induce vomiting.  
P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

## Storage

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235: Store in a well-ventilated place. Keep cool.  
P405: Store locked up.

## Disposal

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

## Hazard(s) not otherwise classified (HNOC)

None known.

## Section 3: Composition/Information on Ingredients

### Substance

| Chemical Identity <sup>2</sup> | Common Name/Synonym(s)   | CAS # <sup>3</sup> | Weight % | Impurity or Stabilizing Additive |
|--------------------------------|--|--------------------|----------|----------------------------------|
| Mineral Spirits                | Stoddard Solvent, Ligroin, Petroleum Spirits, Petroleum Naphtha, Petroleum Distillates, Dearomatized Hydrocarbons, VARSOL™ | 8052-41-3          | 100%     | No                               |
| Pseudocumene                   | No data available  | 95-63-6            | 5.14     | No                               |
| Xylene                         | No data available  | 1330-20-7          | 0.15     | No                               |

- Information regarding the composition and the percent ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.
- Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.
- "Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.

## Section 4: First-Aid Measures

### General Information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

### Inhalation

Remove person to fresh air and keep comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention immediately.

### Skin Contact

Rinse skin with water. Remove/take off immediately all contaminated clothing.

### Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice or attention.

### Ingestion

Do not induce vomiting. Call a physician immediately.

### Most important symptoms/effects, acute and delayed

#### Symptoms

May cause drowsiness or dizziness. Eye irritation. Risk of lung edema.

### Indication of immediate medical attention and special treatment needed

#### Hazards

No data available.

#### Treatment

No data available.

## Section 5: Fire-Fighting Measures

### General Fire Hazards

Flammable liquid and vapor.

### Suitable (and Unsuitable) Extinguishing Media

#### Suitable Extinguishing Media

Water Spray. Dry powder. Foam. Carbon dioxides.

#### Unsuitable Extinguishing Media

Water (Quick acting extinguisher, reel) risk of puddle expansion. Water, risk of puddle expansion.

### Specific Hazards Arising from the Chemical

Containers can build up pressure if exposed to heat and/or fire. Use water spray to keep fire-exposed containers cool. Containers may explode in the heat of a fire. Vapors will form an explosive mixture with air. Vapors will travel to a source of ignition and flash back.

### Special Protective Equipment and Precautions for Firefighters

#### Special Fire-Fighting Equipment Procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

#### Special Protective Equipment for Fire-Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (OSHA/NIOSH approved or equivalent) and full protective gear.

## Section 6: Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Keep unauthorized personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate area.

### Methods and Materials for Containment and Clean-Up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Following product recovery, flush area with water.

Small Spills: Absorb spill with vermiculite or other inert material. Clean surface thoroughly to remove residual contamination.

### Notification Procedures

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Environmental Precautions

Avoid release to the environment. Notify the authorities if product enters sewers or public waters.

## Section 7: Handling and Storage

### Precautions for Safe Handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only nonsparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breath dust, fumes, gas, vapors, or sprays. Use only outdoors or in a well-ventilated area. Avoid contact with the skin and eyes.

### Conditions for Safe Storage, including any Incompatibilities

Ground and bond all containers and receiving equipment. Store in a well-ventilated place. Keep cool, keep container tightly closed and store locked up.

## Section 8: Exposure Controls/Personal Protection

### Control Parameters

#### Occupational Exposure Limits

| Chemical Identity       | Type            | Value                  | Source                           |
|-------------------------|-----------------|------------------------|----------------------------------|
| Stoddard Solvent        |                 | 100 ppm                | US. ACGIH Threshold Limit Values |
| Stoddard Solvent        |                 | 150 ppm                | US OSHA Table Z-1                |
| Mineral spirits Regular | ACGIH TWA (ppm) | 100 ppm                | US. ACGIH Threshold Limit Values |
| Mineral Spirits Regular | OSHA PEL (TWA)  | 2900 mg/m <sup>3</sup> | US OSHA Table Z-1                |
| Stoddard Solvent        | OSHA PEL (TWA)  | 2900 mg/m <sup>3</sup> | US OSHA Table Z-1                |

#### Biological Limit Values

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

### Appropriate Engineering Controls

Ensure good ventilation of the work station.

### Individual protection measures, such as personal protective equipment (PPE)

#### General Information

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

## Eye/Face Protection

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

## Skin Protection

### Hand Protection

Wear appropriate chemical resistant gloves.

### Other

Wear appropriate chemical resistant clothing.

## Respiratory Protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information

## Hygiene Measures

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

## Section 9: Physical and Chemical Properties

### Appearance:

Physical State:

Liquid

Color:

Colorless

### Odor:

Petroleum Odor

### Odor Threshold:

0.9 ppm

5.1 mg/m<sup>3</sup>

### pH:

Not applicable.

### Melting Point/Freezing Point:

No data available.

### Initial Boiling Point and Boiling Range:

300-415 °F

### Flash Point:

>100°F

### Evaporation Rate (butyl acetate=1):

0.2

### Flammability (solid, gas):

No data available.

### Upper/Lower Limit on Flammability or Explosive Limits

Flammability Limit – Upper:

6% volume

Flammability Limit – Lower:

1% volume

Explosive Limit – Upper:

5.6 % volume

Explosive Limit – Lower:

0.8% Volume

### Vapor Pressure:

2.85 hPa (20°C)

### Vapor Density (air =1):

No data available.

### Relative Density (water=1):

0.7865 (15°C)

### Solubility(ies):

Solubility in water:

Negligible

Solubility (other):

No data available.

### Partition coefficient (n-octanol/water):

No data available.

### Auto-Ignition Temperature:

460 °F

### Decomposition Temperature:

No data available.

### Viscosity:

Kinematic : 1.2 mm<sup>2</sup>/S ( 25°C)

### Other Information:

Molecular Weight:

No data available.

Formula:

No data available.

## Section 10: Stability and Reactivity

### Reactivity

Flammable liquid and vapor.

### Chemical Stability

Material is stable under normal conditions.

### Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

### Conditions to Avoid

Keep away from heat, flame and other potential ignition sources. Temperatures in excess of 120 0F for prolonged periods.

### Incompatible Materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Oxides of carbon and various hydrocarbons

## Section 11: Toxicological Information

**Information on routes of exposure**

**Ingestion:** If swallowed this material may irritate the mucous membranes of the mouth throat and esophagus. Aspiration of this material into the lungs may result in damage or death.

**Inhalation:** Excessive inhalation of high concentrations may be harmful. Mist or vapor can irritate the throat and lungs. Breathing this material may cause central nervous system depression.

**Skin Contact:** Contact can cause redness and irritation. Severity depends on the amount and duration of exposure.

**Eye Contact:** Vapors are irritating to the eyes. Liquid contact will cause stinging and tearing.

**Information on Toxicological Effects**

**Acute Toxicity (List all possible routes of exposure)**

**Oral**

Mineral Spirits: LD50 (Rat): > 6500 mg/kg

Pseudocumene: LD50 (Rat): 6,000 mg/kg

**Dermal**

Mineral Spirits: LD50 (Rabbit): > 3,400 mg/kg

Pseudocumene: LD50 (Rat): 3,440 mg/kg

**Inhalation**

Mineral Spirits: LC50 (Rat): 13 mg/l

Pseudocumene: LC50 (Rat): 10.2 mg/l

**Repeated Dose Toxicity**

No data available.

**Skin Corrosion/Irritation**

No data available.

**Serious Eye Damage/Eye Irritation**

May cause eye irritation.

**Respiratory/Skin Sensitization**

Risk of lung edema

**Carcinogenicity**

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans**

No data available.

**US. National Toxicology Program (NTP) Report on Carcinogens**

No data available.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

No data available.

**Germ Cell Mutagenicity**

**In Vitro**

No data available.

**In Vivo**

No data available.

**Reproductive Toxicity**

No data available.

**Specific Target Organ Toxicity – Single Exposure**

No data available.

**Specific Target Organ Toxicity – Repeated Exposure**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration Hazard**

May be fatal if swallowed and enter airways.

**Other Effects**

No data available.

**Section 12: Ecological Information**

**Ecotoxicity**

**Acute Hazards to the Aquatic Environment**

**Fish**

Pseudocumene: LC50 (Pimephales Promelas): 7.72 mg/l/96 hr.

**Aquatic Invertebrates**

No data available.

**Toxicity to Aquatic Plants**

No data available.

**Chronic Hazards to the Aquatic Environment**

**Fish**

No data available.

**Aquatic Invertebrates**

No data available.

**Toxicity to Aquatic Plants**

No data available.

**Persistence and Degradability**

**Biodegradation**

Expected to be inherently biodegradable

**BOD/COD Ratio**

No data available.

**Bioaccumulative Potential**

**Bioconcentration Factor (BCF)**

No data available on bioaccumulation.

**Partition Coefficient n-octanol / water (log Kow)**

No data available.

**Mobility in Soil**

Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.

**Other Adverse Effects**

No data available.

## Section 13: Disposal Considerations

**Disposal Instructions**

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the future management of the waste. Hazardous waste shall be managed responsibly. All entities that store transport or handle hazardous waste shall take the necessary measures to prevent the risks of pollution or damage to people or animals. Flammable vapors may accumulate in the container.

**Contaminated Packaging**

Handle contaminated packages in the same way as the substance itself. Emptied containers may retain hazardous residue and explosive vapors. Keep away from heat, sparks, and flames. Do not cut, puncture, or weld on or near this container. Follow label warnings until container is thoroughly cleaned or destroyed.

## Section 14: Transportation Information

**US Department of Transportation (DOT)**

UN Number: UN1268

UN Proper Shipping Name: Petroleum distillates, n.o.s.

Technical Name:

Hazard Class: 3

Subsidiary Hazard Risk: -

Packing Group: III

DOT Label/Placard Exemptions: Not determined

Special Provisions: 144, B1, IB3, T4, TP1, TP29

Packaging Exceptions: 49CFR 173.150

Packaging Non-Bulk: 49CFR 173.203

Packaging Bulk: 49CFR 173.242

Reportable Quantity (RQ): None

Marine Pollutant: No

Poison Inhalation Hazard: No

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Emergency Response Guidebook (ERG) #: 128

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

## Section 15: Regulatory Information

**US Federal Regulations**

**Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)**

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)**

No chemical(s) in this material are subject to the reporting requirements of CERCLA.

**Clean Air Act (CAA), Section 112(r)**

No chemical(s) in this material are subject to the reporting requirements of CAA.

**Emergency Planning and Community Right-To-Know Act (EPCRA)**

**EPCRA 302 Extremely Hazardous Substance**

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

**EPCRA 304 Emergency Response Notification**

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

**EPCRA 311/312 Emergency and Hazardous Materials Reporting**

Fire Hazard: Yes

Sudden Release of Pressure: No

Reactive: No

Acute (Immediate) Health Hazard: Yes

Chronic (Delayed) Health Hazard: Yes

**EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting**

This material does not contain any chemical(s) with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations**

**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.

**Section 16: Other Information**

**Hazardous Materials Identification System (HMIS®) Classification**

Health Hazard: 1

Chronic Health Hazard: \*

Flammability: 2

Physical Hazard: 0

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

**National Fire Protection Association (NFPA 704) Rating**

Health Hazard: 1

Fire Hazard: 2

Reactivity Hazard: 0

Special: N/A

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

Prepared By: Regulatory Manager

Version #: 001

Issue Date: September 23, 2015

Revision Date: December 18, 2018

Revisions: 2

**Key to Abbreviations and Acronyms**

ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

EC50 - Effective concentration, 50%

IDHL - Immediately Dangerous to Life and Health

Kg - Kilogram

l - Liter

lb - Pound

LC50 - Lethal Concentration, 50%

LD50 - Lethal Dose, 50%

mg - milligram

ml - milliliter

N/A - Not Applicable

N/D - Not Determined

PEL - Permissible Exposure Limit

REL - Recommended Exposure Limit

STEL - Short-term Exposure Limit

TWA - Time weighted average

ACGIH - American Conference of Industrial Hygienists

AIHA - American Industrial Hygiene Association

BEI - Biological Exposure Indices

CAS - Chemical Abstracts Service

DOT - US Department of Transportation

EPA - US Environmental Protection Agency

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - Intermediate Bulk Container

IMDG - International Maritime Dangerous Goods

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - US Occupational Health and Safety Administration

SARA - US EPA Superfund Amendments and Reauthorization Act

TSCA - US EPA Toxic Substances Control Act

UN - United Nations

**References**

HSDB® - Hazardous Substances Data Bank

**Disclaimer**

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.