

**Section 1: Product & Company Information**

**Product Identifier:** Sulfamic Acid

**Other Means of Identification**

Product Number: 110009

**Recommended Use and Restrictions on Use**

*Recommended Use:* Used as a Standard in alkalimetry, in acid cleaning, in nitrite removal, chlorine stabilization for swimming pools, cooling towers, and paper mills; as a catalyst for urea-formaldehyde resins and as a sulfonating agent.

*Restrictions on Use:* Not known.

**Manufacturer / Importer / Supplier / Distributor Information**

**Company Name:** CORECHEM Inc.

**Address:** 4320 Greenway Drive  
Knoxville, TN 37918  
USA

**Information Telephone Number:** 1-865-524-4239

**Fax Number:** 1-865-524-3375

**Website:** www.corecheminc.com

**Contact Person:** Regulatory Manager

**E-mail:** regulatory@corecheminc.com

**Emergency Phone Number:** Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

**Section 2: Hazards Identification**

**GHS Hazard Classification(s)**

In accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

**Physical Hazard(s)**

Not classified.

**Health Hazard(s)**

Corrosion/Irritation, Skin - 2

(Corrosion)Damage/Irritation, Eye - 2A

**Environmental Hazard(s)**

Aquatic, Acute - 3

Aquatic, Chronic - 3

**Label Elements**

**Signal Word**

**WARNING**

**Hazard Symbol(s)**



**Hazard Statement(s)**

H315: Causes skin Irritation.

H319: Causes serious eye Irritation.

H402: Harmful to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

**General**

Not applicable.

**Prevention**

P264: Wash face, hands and any exposed skin thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see supplemental first aid instructions on this label).

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P337 + P313: If eye irritation persists: Get medical advice/attention.  
P362: Take off contaminated clothing and wash before reuse.

**Storage**

P405: Store locked up

**Disposal**

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC)**

None known.

## Section 3: Composition/Information on Ingredients

**Substance**

Chemical Identity <sup>2</sup>	Common Name/Synonym(s)	CAS # <sup>3</sup>	Weight %	Impurity or Stabilizing Additive
Sulfamic Acid	Amidosulfonic acid, amidosulfuric acid, sulphamic acid.	5329-14-6	90 – 100%	No

- Information regarding the composition and the percent ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.
- Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.
- "—"Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.

## Section 4: First-Aid Measures

**General Information**

Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

**Inhalation**

Remove exposed person to fresh air and support breathing as needed.

**Skin Contact**

Quickly remove contaminated clothing (if not stuck to skin) Rinse with flooding amounts of water for at least 15 minutes. For reddened or blistered skin, consult a physician.

**Eye Contact**

Do not allow victim to rub, or keep eyes tightly shut. Gently lift eyelids and flush immediately and continuously with flooding amounts of water until transported to an emergency medical facility. Consult a physician or ophthalmologist immediately.

**Ingestion**

Never give anything by mouth to an unconscious or convulsing person. Contact a poison control center. Unless the poison control center advises otherwise, have the conscious and alert person drink 1 to 2 glasses of water to dilute. Do not induce vomiting because of the corrosive nature of sulfamic acid. Vomiting will worsen esophageal condition.

**Most important symptoms/effects, acute and delayed**

**Symptoms**

Causes severe skin and eye burns. Causes digestive tract burns.

**Indication of immediate medical attention and special treatment needed**

**Hazards**

No data available.

**Treatment**

Treatment is symptomatic and supportive. Treat as thermal burns. Severe inhalation exposures may result in delayed pulmonary edema; in these cases consider close observation for 24 to 48 hours.

## Section 5: Fire-Fighting Measures

**General Fire Hazards**

In case of fire and/or explosion do not breathe fumes. Emits toxic gases when heated.

**Suitable (and Unsuitable) Extinguishing Media**

**Suitable Extinguishing Media**

Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable Extinguishing Media**

None known.

**Specific Hazards Arising from the Chemical**

During fire, gases hazardous to health may be formed. Hazardous combustion products include Sulfur oxides, nitrogen oxides, and ammonia gas.

**Special Protective Equipment and Precautions for Firefighters**

**Special Fire-Fighting Equipment Procedures**

Do not release runoff from fire control methods to sewers or waterways.

**Special Protective Equipment for Fire-Fighters**

Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive pressure mode.

**Section 6: Accidental Release Measures**

**Personal Precautions, Protective Equipment and Emergency Procedures**

Notify safety personnel. Isolate and ventilate area, deny entry, and stay upwind.

**Methods and Materials for Containment and Clean-Up**

Small spills: Do not sweep or otherwise disperse into the air. Carefully scoop up or vacuum (with appropriate filter) and place in a suitable container for disposal.  
Large spills: Flush with plenty of water to containment area for later disposal. Do not release into sewer or waterways. Damp mop with dilute alkaline solution (Sodium Bicarbonate, sodium hydroxide, lime)

**Notification Procedures**

Prevent entry into waterways, sewer, basements or confined areas. Stop leak if you can do so without risk. Inform authorities if large amounts are involved.

**Environmental Precautions**

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

**Section 7: Handling and Storage**

**Precautions for Safe Handling**

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use only in a well-ventilated area minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

**Conditions for Safe Storage, including any Incompatibilities**

Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

**Section 8: Exposure Controls/Personal Protection**

**Control Parameters**

**Occupational Exposure Limits**

The product does not contain any relevant quantities of hazardous materials with critical values that have to be monitored in the workplace.

**Biological Limit Values**

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

**Appropriate Engineering Controls**

To prevent dispersion of dust into work area, enclose all processes where it is possible. Provide general or local exhaust ventilation systems to maintain airborne concentrations as low as possible. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source. Instruct employees on the proper use of PPE to prevent severe irritation and burns from contact.

**Individual protection measures, such as personal protective equipment (PPE)**

**General Information**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Eye/Face Protection**

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

**Skin Protection**

**Hand Protection**

Wear appropriate chemical resistant gloves.

**Other**

Separate contaminated work clothes from street clothes. Launder before reuse. Remove sulfamic Acid from your shoes and clean personal protective equipment.

**Respiratory Protection**

Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 ECFRE1910.134) and if necessary, wear a MSHA/NIOSH-approved dust respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of enough oxygen. For emergency or non-routine operations. (cleaning spills, reactor vessels, or storage tanks) wear an SCBA. Warning! Air purifying respirators do not protect workers in oxygen deficient atmospheres. If respirators are used, OSHA requires a written respiratory protection program that includes at least: Medical certification, training, fit testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

**Hygiene Measures**

Never eat, drink, or smoke in work areas. Practice good personal hygiene after using sulfamic acid, especially before eating, drinking, smoking, using the toilet or applying cosmetics.

**Section 9: Physical and Chemical Properties**

**Appearance:**

Physical State:

Orthorhombic crystals

<i>Color:</i>	Off-White
<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	1.18 (25 °C) (1% solution)
<b>Melting Point/Freezing Point:</b>	205 °C
<b>Specific Gravity (H<sub>2</sub>O=1, at 4 °C)</b>	2.15 g/cc
<b>Initial Boiling Point and Boiling Range:</b>	Decomposes @ 205 °C
<b>Flash Point:</b>	No data available.
<b>Evaporation Rate (butyl acetate=1):</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/Lower Limit on Flammability or Explosive Limits</b>	
<i>Flammability Limit – Upper:</i>	No data available.
<i>Flammability Limit – Lower:</i>	No data available.
<i>Explosive Limit – Upper:</i>	No data available.
<i>Explosive Limit – Lower:</i>	No data available.
<b>Vapor Pressure:</b>	0.006 mm Hg at 68 °F (20 °C)
<b>Vapor Density (air =1):</b>	3.3
<b>Relative Density (water=1):</b>	2.15 g/cc (20 °C)
<b>Solubility(ies):</b>	
<i>Solubility in water:</i>	213 g/l at 20 °C
<i>Solubility (other):</i>	Sparingly Soluable in ethanol and methanol, Slightly Soluable in acetone, Soluable in nitrogenous bases, (i.e. ammonia) and nitrogen containing organic solvents. (i.e. pyrrolidine, formamide, and dimethylformamide.) Insoluble in ether, carbon disulfide, and carbon tetrachloride.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-Ignition Temperature:</b>	No data available.
<b>Decomposition Temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.
<b>Other Information:</b>	
<i>Molecular Weight:</i>	97.09 g/mol
<i>Formula:</i>	H <sub>3</sub> NO <sub>3</sub> S

## Section 10: Stability and Reactivity

### Reactivity

Contact with water results in slow hydrolysis which liberates toxic and/or flammable gases.

### Chemical Stability

Sulfamic acid is stable when dry, but it slowly hydrolyzes in solution to form ammonium Bisulfate.

### Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

### Conditions to Avoid

Exposure to incompatibles and dispersion of sulfamic acid particulates into the air.

### Incompatible Materials

Sulfamic Acid undergoes a violent or explosive reaction with chlorine, metal nitrates + heat, metal nitrites+ heat, and fuming nitric acid.

### Hazardous Decomposition Products

Thermal decomposition may produce oxides of carbon and nitrogen. Oxides of sulfur. ammonia

## Section 11: Toxicological Information

### Information on routes of exposure

**Ingestion:** May cause burns of the gastrointestinal tract if swallowed.

**Inhalation:** Irritating to respiratory system.

**Skin Contact:** Causes skin burns.

**Eye Contact:** Causes serious eye damage.

### Information on Toxicological Effects

#### Acute Toxicity (List all possible routes of exposure)

##### Oral

Sulfamic Acid: LD50(Rat) 3,160 mg/kg

Sulfamic Acid: LD50 (Mouse) 1312 mg/kg

##### Dermal

Sulfamic Acid: (Human) 4% solution applied intermittently for 5 days.

##### Inhalation

No data available.

##### Repeated Dose Toxicity

No data available.

**Skin Corrosion/Irritation**

*Causes skin burns.*

**Serious Eye Damage/Eye Irritation**

*Causes serious eye damage.*

**Respiratory/Skin Sensitization**

*Not a skin sensitizer.*

**Carcinogenicity**

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans**

*No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.*

**US. National Toxicology Program (NTP) Report on Carcinogens**

*No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.*

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

*No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.*

**Germ Cell Mutagenicity**

**In Vitro**

*No mutagenic components identified.*

**In Vivo**

*No mutagenic components identified.*

**Reproductive Toxicity**

*None known.*

**Specific Target Organ Toxicity – Single Exposure**

*None known.*

**Specific Target Organ Toxicity – Repeated Exposure**

*None known.*

**Aspiration Hazard**

*Not classified.*

**Other Effects**

*None known.*

**Section 12: Ecological Information**

**Ecotoxicity**

**Acute Hazards to the Aquatic Environment**

**Fish**

*Sulfamic Acid: LC 50 (Fathead minnow (Pimephales promelas), 96 h): 70.3 mg/l*

**Aquatic Invertebrates**

*No data available.*

**Toxicity to Aquatic Plants**

*No data available.*

**Chronic Hazards to the Aquatic Environment**

**Fish**

*No data available.*

**Aquatic Invertebrates**

*No data available.*

**Toxicity to Aquatic Plants**

*No data available.*

**Persistence and Degradability**

**Biodegradation**

*There are no data on the degradability of this product.*

**BOD/COD Ratio**

*No data available.*

**Bioaccumulative Potential**

**Bioconcentration Factor (BCF)**

*No data available on bioaccumulation.*

**Partition Coefficient n-octanol / water (log Kow)**

*No data available.*

**Mobility in Soil**

*No data available.*

## Other Adverse Effects

Harmful to aquatic life with long lasting effects.

## Section 13: Disposal Considerations

### Disposal Instructions

Dilute with water, neutralize with alkaline material (lime, sodium hydroxide, sodium bicarbonate) and flush to sewer with plenty of water. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state and local regulations.

### Contaminated Packaging

Since emptied containers retain product residue, follow label warnings even after container is emptied.

## Section 14: Transportation Information

### US Department of Transportation (DOT)

UN Number: UN2967  
UN Proper Shipping Name: Sulfamic Acid  
Technical Name: -  
Hazard Class: 8  
Subsidiary Hazard Risk: -  
Packing Group: III  
DOT Label/Placard Exemptions: Not determined  
Special Provisions: IB8, IP3, T1, TP33  
Packaging Exceptions: 49CFR 173.154  
Packaging Non-Bulk: 49CFR 173.213  
Packaging Bulk: 49CFR 173.240  
Reportable Quantity (RQ): None  
Marine Pollutant: No  
Poison Inhalation Hazard: No  
Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.  
Emergency Response Guidebook (ERG) #: 154

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

## Section 15: Regulatory Information

### US Federal Regulations

#### Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)

No chemical(s) in this material are subject to the reporting requirements of CERCLA.

#### Clean Air Act (CAA), Section 112(r)

No chemical(s) in this material are subject to the reporting requirements of CAA.

#### Emergency Planning and Community Right-To-Know Act (EPCRA)

##### EPCRA 302 Extremely Hazardous Substance

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

##### EPCRA 304 Emergency Response Notification

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

##### EPCRA 311/312 Emergency and Hazardous Materials Reporting

Fire Hazard: No  
Sudden Release of Pressure: No  
Reactive: No  
Acute (Immediate) Health Hazard: Yes  
Chronic (Delayed) Health Hazard: No

##### EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting

This material does not contain any chemical(s) with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.

## Section 16: Other Information

### Hazardous Materials Identification System (HMIS®) Classification

Health Hazard: 3

Chronic Health Hazard: 1

Flammability: 0

Physical Hazard: 0

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

### National Fire Protection Association (NFPA 704) Rating

Health Hazard: 3

Fire Hazard: 0

Reactivity Hazard: 0

Special: N/A

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

Prepared By: Regulatory Manager

Version #: 001

Issue Date: July 9, 2015

Revision Date: March 25, 2019

Revisions: 2

### Key to Abbreviations and Acronyms

ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

EC50 - Effective concentration, 50%

IDHL - Immediately Dangerous to Life and Health

Kg - Kilogram

l - Liter

lb - Pound

LC50 - Lethal Concentration, 50%

LD50 - Lethal Dose, 50%

mg - milligram

ml - milliliter

N/A - Not Applicable

N/D - Not Determined

PEL - Permissible Exposure Limit

REL - Recommended Exposure Limit

STEL - Short-term Exposure Limit

TWA - Time weighted average

ACGIH - American Conference of Industrial Hygienists

AIHA - American Industrial Hygiene Association

BEI - Biological Exposure Indices

CAS - Chemical Abstracts Service

DOT - US Department of Transportation

EPA - US Environmental Protection Agency

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - Intermediate Bulk Container

IMDG - International Maritime Dangerous Goods

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - US Occupational Health and Safety Administration

SARA - US EPA Superfund Amendments and Reauthorization Act

TSCA - US EPA Toxic Substances Control Act

UN - United Nations

### References

HSDB® - Hazardous Substances Data Bank

### Disclaimer

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.